
ANTHROPOMETRIC VARIABLES AND VOLLEYBALL PERFORMANCE

Sudhakara G.¹ and N. D. Virupaksha²

¹Research Scholar, Department of Physical Education, Kuvempu University, Shankaraghatta, Shivamogga, Karnataka state, India.

²Co-ordinator, Department of P.G. Studies in Physical Education, Kuvempu University, Shankaraghatta, Shivamogga, Karnataka State, India.

Abstract:-In recent years that there is a trend that more teams adopt the technique, tactics and physical performance in volleyball players. The skills like higher attack, powerful jumping, serve, attack from the back row and aggressive blocking are now widely used by volleyball players. All these bring forward greater demand for specific fitness and physique of volleyball players. Objective : The objective of the study was to know the role of anthropometric variables in volleyball playing ability. Procedure : To achieve the purpose of the study data was collected from 80 (eighty) volleyball players who have represented their university volleyball teams in the inter University tournament. Variables considered for this study were Fore arm circumference, Upper arm girth, Chest girth, Thigh girth, Calf girth., and Performance Variables such as Service accuracy, Spiking, Over Head pass, and Under hand pass. Data was collected by using standardised method. Findings : Data collected was treated with the Product Moment Correlation statistical technique. The results showed that there was a significant relationship between Fore arm circumference, Upper arm girth, Chest girth, Thigh girth and Calf girth to the volleyball performance.

Keywords: Volley ball, Anthropometric Variables, Performance.

INTRODUCTION

Anthropometric variables have been tested in sports to determine how training methods are affecting the athlete's ability to perform. The evaluation of performance is very essential, changes of rules in the game of volleyball has further raised the level of various demands. More mistakes by a player can cause a defeat to the team. Hence to have better quality and quantity of technique it is essential to have fine and correct movements to perform various techniques. Sports such as volleyball, anthropometric assessment is particularly important, as study of absolute size is an important element for analysis of athletic success.

It has also shown in recent years that there is a trend that more teams adopt the technique, tactics and physical performance in volleyball players. The skills like higher attack, powerful jumping-serve, attack from the back row and aggressive blocking are now widely used by volleyball players. All these bring forward greater demand for specific fitness and physique of volleyball players

In volleyball, technical and tactical skills, anthropometric characteristics and individual physical performance capacities are most important factors that contribute to the success of a team in competitions. Optimal physique is apparently an advantage to volleyball performance. Only when a volleyball team is collectively equipped with the entire ideal anthropometric variables can dominate in a game

Please cite this Article as :Sudhakara G.¹ and N. D. Virupaksha², "ANTHROPOMETRIC VARIABLES AND VOLLEYBALL PERFORMANCE" : Academic Sports Scholar (Nov ; 2014)

OBJECTIVE OF THE STUDY

The main objective of the study was to find out the role of selected anthropometric variables in volleyball performance of Inter University volleyball men players.

PROCEDURE

To achieve the objective of the study the data was collected from eighty volleyball men players, who have participated in the Inter University volleyball tournament. For this study Anthropometric measurements such as forearm circumference, Upper arm girth, Chest girth, Thigh girth, Calf girth. and Performance Variables such as Service accuracy, Spiking, Over Head pass, and Under hand pass were selected. Data of anthropometric variables was collected by using anthropometric rod and performance variables data was collected by using standardized volleyball skills tests.

FINDINGS

The data collected was analysed by using Product -Moment Correlation technique and findings are presented in the following tables.

TABLE – 1
Shows the relationship between service accuracy and the selected anthropometric variables

Sl. No.	Variables	Correlation coefficient
1.	Service accuracy and fore arm circumference.	.447*
2.	Service accuracy and upper arm girth.	.452*
3.	Service accuracy and chest girth.	.536*
4.	Service accuracy and thigh girth	.324*
5.	Service accuracy and calf girth.	.317*

* Significance at the 0.05 level (2-tailed).

The above table indicates that the serving accuracy significantly related to Fore arm circumference = .447, Upper arm girth = .452, Chest girth = .536, Thigh girth = .324 and Calf girth = .317. Therefore, it is evident that fore arm circumference, upper arm girth, chest girth, thigh girth and calf girth contributed to serving accuracy.

TABLE – 2
Shows the relationship between Spiking ability and the selected anthropometric variables

Sl. No.	Variables	Correlation coefficient
1.	Spiking ability and fore arm circumference.	.420*
2.	Spiking ability and upper arm girth.	.425*
3.	Spiking ability and chest girth.	.444*
4.	Spiking ability and thigh girth	.226*
5.	Spiking ability and calf girth.	.284*

* Significance at the 0.05 level (2-tailed).

The above table indicates that Spiking ability significantly related to Fore arm circumference = .420, Upper arm girth = .425, Chest girth = .444, Thigh girth = .226 and Calf girth = .285. Therefore, it is evident that fore arm circumference, upper arm girth, chest girth, thigh girth and calf girth contributed to Spiking ability.

TABLE – 3
Shows the relationship between Over head pass and the selected anthropometric variables

Sl. No.	Variables	Correlation coefficient
1.	Over head pass and fore arm circumference.	.412*
2.	Over head pass and upper arm girth.	.380*
3.	Over head pass and chest girth.	.532*
4.	Over head pass and thigh girth	.270*
5.	Over head pass and calf girth.	.312*

* Significance at the 0.05 level (2-tailed).

The above table indicates that Over head passing ability is significantly related to Fore arm circumference = .412, Upper arm girth = .380, Chest girth = .532, Thigh girth = .270 and Calf girth = .312. Therefore, it is evident that, fore arm circumference, upper arm girth, chest girth, thigh girth and calf girth contributed to Over head passing ability.

TABLE – 4
Shows the relationship between Underhand pass and the selected anthropometric variables

Sl. No.	Variables	Correlation coefficient
1.	Under hand pass and fore arm circumference.	.375*
2.	Under hand pass and upper arm girth.	.336*
3.	Under hand pass and chest girth.	.439*
4.	Under hand pass and thigh girth	.254*
5.	Under hand pass and calf girth.	.296*

* Significance at the 0.05 level (2-tailed).

The above table evidence that under hand passing ability is significantly related to Fore arm circumference = .375, Upper arm girth = .336, Chest girth = .439, Thigh girth = .254 and Calf girth = .296. Therefore, it is evident that fore arm circumference, upper arm girth, chest girth, thigh girth and calf girth contributed to under hand passing ability.

CONCLUSIONS

With in the limitation of the study, the selected anthropometric variable forearm circumference, upper arm girth, Chest girth, Thigh girth, calf girth, are significantly related to volley ball playing ability. It is established that body build plays an important role in achievements in many sport since it provides a basis for the formation and improvement of movement techniques, specific physical performance. Volleyball sport has high requirement of anthropometric variables of players

for better performance. Therefore, talent identification lays much importance on them. Despite this, in a sport such as volleyball, several elements in the anthropometric profile such as forearm circumference, upper arm girth, Chest girth, Thigh girth, and calf girth all can influence competitive success.

REFERENCES

1. AAHPER (1965). "Skill TEST Manual Volleyball for Boys and Girls", Washington: D.C.
2. Bhola, P.K. (1984). "Relationship between Anthropometric Measurements and Jumping Abilities of Volleyball Players", Unpublished Ph.D. Thesis, LNUPE.
3. Borise Tablacts Chink (1978). "Identification of sprint talent medicine and science sports", VSSR Publication.
4. Carter, J.E.L. (1982). "Physical Structure of Olympic Athletes." London.
5. Chauhan, M.S. and Chauhan, D.S. (2005). "A Relationship between Anthropometric Variables and Explosive Arm Strength of Volleyball Players", *Journal of Sports & Sports Science*, 28(2): 5-13.
6. Disch, G. and Disch, J. (1978). Predictive analysis of a battery anthropometric and motor performance tests for classification of male volleyball players, *Volleyball Technical Journal*, 4: 93-98.
7. Herald Smith (1969). The relationship of Volley ball playing ability to scores achieved in the sergent vertical jump. *Complete Research in Health Physical Education and Recreation*, Vol. 11.
8. Mohamed and Ahmed Nabieh Ibrahim (2010). Anthropometric Measurements as a Significant for Choosing Juniors in Both Volleyball and Handball Sports (Factorial Analysis Study). *World Journal of Sport Sciences*, 3(4): 277-289.
9. Sandhu, G. S. (1982). "Volleyball basic and advanced. Chandigarh: The Sports People", Publishers of Sports Literature, Vol. 3-4 & 34.
10. Thissen-Milder, M. and Mayhew, J.L. (1991). Selection and classification of high school volleyball players from performance tests. *Journal of Sports Medicine and Physical Fitness*, 31: 380-384.
11. Toyoda, H.A. (1971). "Training theory for volleyball in Japan. Scarborough", Canadian Volleyball Association Publication.